



SINCE 2009



PRODUCT CATALOG

QLED TV
Mini LED TV
Speaker
Monitor

+86 13926285591
www.mianhong.com
hanke@opeetv.com

Address :No.2, Jingtian Street,Huadong Town,
Huadu District,Guangzhou(导航“广州绵虹电子”)



CERTIFICATE 公司证书

PRODUCT CERTIFICATION 产品认证

Company Profile

Company Profile

Guangzhou Mianhong Electronic Technology Co., Ltd. was established in 2009 and is headquartered in Guangzhou. Since its establishment, the company has been committed to R&D and innovation in the field of LED TVs, focusing on the design, production and sales of SMRAT TV products. With strong technical strength and excellent product quality, it has become one of the leading companies in the industry in some regions of the world

Company Strengths.

One Stop Solution

Complete solutions for TVs, monitors and audio products — from design and development to production and shipment.

Production Line

Modern production lines with strict quality control ensure stable capacity and reliable delivery.

R&D Department


Professional R&D team delivering innovative designs and smart solutions for global markets.

More Pieces In One Container

Optimized packaging design allows more units per




COMPANY BUILDING



EXHIBITION HALL




PRODUCTION WORKSHOP




Latest Android OS with TV UI




Android 16.0




Android 15.0




System UI



Yandex OS




Tizen OS




Vidaa OS



Whale OS




Google OS




Web OS

Support for major mainstream applications across different regions


LATAM




EUROPE




CENTRAL & NA



SEA & INDIA



MENA



▶ Frameless Style:15K Series

- Private Model
- High Loading Quantity



Model No	Dimension	Volume/pc (CBM)	Loading QTY(20GP)	Loading QTY(40HQ)
2415K	585*92*362mm	0.0198	1420PCS	3430 PCS
3215K	749*73*458mm	0.025	1120PCS	2720 PCS
4315K	992*98*598mm	0.058	480 PCS	1172 PCS

▶ **Frameless Style:19K Series**

- **Ultrathin Thickness**
- **Metal Housing**



Model No	Dimension	Volume/pc (CBM)	Loading QTY(20GP)	Loading QTY(40HQ)
2419K	585*92*357mm	0.019	1460 PCS	3570 PCS
4019K	930*95*556mm	0.049	570PCS	1387 PCS

▶ **Frameless Style:17V Series**

▶ **Tempered Glass Style**

- **Explosion-proof**
- **Stab-proof**
- **Scratch-proof**



Model No	Dimension	Volume/pc (CBM)	Loading QTY(20GP)	Loading QTY(40HQ)
3217V	744*85*458mm	0.030	933 PCS	2266 PCS
4017V	919*90*545mm	0.045	620PCS	1510 PCS
4317V	982*90*595mm	0.053	528 PCS	1280 PCS
5017V	1140*93*680mm	0.072	388 PCS	940 PCS

▶ **Frameless Style:29K Series**

- **OD 35mm**
- **Ultrathin Thickness**
- **Metal Housing**



Model No	Dimension	Volume/pc (CBM)	Loading QTY(20GP)	Loading QTY(40HQ)
5029K	1155*108*700mm	0.087	320 PCS	780 PCS
5529K	1275*118*770mm	0.116	240 PCS	585 PCS
6529K	1540*136*905mm	0.189	148 PCS	359 PCS
7529K	1785*185*1110mm	0.367	76 PCS	185 PCS
8529K	2085*215*1245mm	0.558	20 PCS	63 PCS

▶ **Super Sizes**

- **Super Sizes 100" 115"**
- **Enjoy cinema audio-visual effects**



Model No	Dimension	Volume/pc (CBM)	Loading QTY(20GP)	Loading QTY(40HQ)
10029V	2401*252*1490mm	0.902	14 PCS	28 PCS
115	2840*380*1910mm	2.061	12 PCS	26 PCS


QLED TV Series



MINI LED Series



DCI-P3 95%



- Trending & hot in the market
- Use quantum dot display film to improve backlight to be natural light
- High Gamut and better color reproduction

Home/Office Monitors

MODEL:M3201-OS-A



- Refresh rate: 75Hz
- Panel brand: (BOE)
- 40HQ Loading: 1490
- Display size: 31.5 inches
- Contrast(Typical): 1200:1 (Typ.)
- Brightness(Typical): MAX:300cd/m²
- Resolution (H x V): 1920(RGB)×1080, FHD

MODEL:M2701-GS-A



- Refresh rate: 60Hz
- Panel brand: (BOE)
- 40HQ Loading: 1327
- Display size: 27.0 inches
- Contrast(Typical): 1200:1 (Typ.)
- Brightness(Typical): MAX:300cd/m²
- Resolution (H x V): 3840(RGB)×2160, UHD

MODEL:M2401-OS-A



- Refresh rate: 100Hz
- Panel brand: (HKC)
- 40HQ Loading: 2459
- Display size: 23.8 inches
- Contrast(Typical): 1000:1 (Typ.)
- Brightness(Typical): MAX:300cd/m²
- Resolution (H x V): 1920(RGB)×1080, FHD

MODEL:M2201-OS-A



- Refresh rate: 75Hz
- Panel brand: (BOE)
- 40HQ Loading: 3634
- Display size: 21.45 inches
- Contrast(Typical): 3000:1
- Brightness(Typical): 250cd/m²
- Resolution (H x V): 1920*1080/FHD

MODEL:M2406-OS-A



- Refresh rate: 100Hz
- Panel brand: CSOT IPS
- Display size: 24 inches
- Interface: VGA+HDMI
- 40HQ Loading: 1603
- Resolution (H x V): 1920(RGB)×1080, FHD

Home/Office Monitors

MODEL:M2706-OS-A



- Refresh rate: 120Hz
- Panel brand: CSOT VA
- Display size: 27 inches
- Interface: VGA+HDMI
- 40HQ Loading: 1150
- Resolution (H x V): 1920(RGB) × 1080, FHD

MODEL:M2405-OS-B



- Refresh rate: 120Hz
- Panel brand: CSOT IPS
- Display size: 24 inches
- Interface: VGA+HDMI
- 40HQ Loading: 1493
- Resolution (H x V): 1920(RGB) × 1080, FHD

MODEL:M2704-OS-B



- Refresh rate: 100HZ
- Panel brand: CSOT IPS
- Display size: 27 inches
- Interface: VGA+HDMI
- 40HQ Loading: 1750
- Resolution (H x V): 1920(RGB) × 1080, FHD

Gaming Monitor

MODEL:M2701-GS-B



- Refresh rate: 180Hz
- Panel brand: (BOE)
- 40HQ Loading: 1327
- Display size: 27.0 inches
- Contrast(Typical): 1000:1 (Typ.) (TM)
- Brightness(Typical): MAX:350cd/m²
- Resolution (H x V): 2560(RGB) × 1440, Quad-HD, 108PPI

MODEL:M2701-OS-A



- Refresh rate: 100Hz
- Panel brand: (AUO)
- 40HQ Loading: 1513
- Display size: 27 inches
- Contrast(Typical): 1500:1 (Typ.) (TM)
- Brightness(Typical): MAX:300cd/m²
- Resolution (H x V): 2560(RGB) × 1440, Quad-HD

MODEL:M3401-GC-A



- Refresh rate: 165Hz
- Panel brand: (CSOT)
- 40HQ Loading: 981
- Display size: 34.0 inches
- Contrast(Typical): 4000:1 (Typ.) (TM)
- Brightness(Typical): MAX:350 cd/m²
- Resolution (H x V): 3440(RGB) × 1440

MODEL:M2701-GS-C



- Refresh rate: 200Hz
- Panel brand: (BOE)
- 40HQ Loading: 1278
- Display size: 27.0 inches
- Contrast(Typical): 1000:1 (Typ.) (TM)
- Brightness(Typical): MAX:350cd/m²
- Resolution (H x V): 2560(RGB) × 1440, Quad-HD, 108PPI

MODEL:M2704-OS-A



- Panel brand:(IPS)
- Refresh Rate: 100Hz
- Resolution: 1920*1080
- 40HQ Loading: 1460
- Display Size: 27.0 inches

Gaming Monitor

MODEL:M3204-OS-A



- Panel brand:(IPS)
- Refresh Rate: 100Hz
- Resolution: 1920*1080
- 40HQ Loading: 1000
- Display Size: 31.5 inches

MODEL:M2405-OS-A



- Panel brand:(IPS)
- Refresh Rate: 100Hz
- Resolution: 1920*1080
- 40HQ Loading: 1920
- Display Size: 23.8 inches

MODEL:M2704-GS-A



- Refresh rate: 165Hz
- Panel brand: IPS
- 40HQ Loading: 1107
- Display size: 27 inches
- Interface: 2*HDMI+2*DP
- Resolution : 2560*1440

MODEL:M2705-GS-A



- Refresh rate: 200Hz
- Panel brand: CSOT IPS
- 40HQ Loading: 814
- Display size: 24 inches
- Interface: 2*HDMI+2*DP
- Resolution : 2560*1440

MODEL:M3404-GC-A



- Refresh rate: 180Hz
- Panel brand: BOE VA
- 40HQ Loading: 889
- Display size: 34 inches
- Interface: 2*HDMI+DP+USB
- Resolution : 3440*1440

Speaker

M-1011



USB/ TF Card/Bluetooth/
Display Screen/ FM Radio, TWS

Power: 100W
Config: 2 x 10-inch Woofers + Coil Tweeter + RGB Lighting
Battery: 7.4V/4500mAh
Size/Weight: 365*350*836MM/13KG
40HQ Loading: 636

M-8811



USB/TF Card/Bluetooth/Display Screen/FM Radio

Power: 100W
Config: 2 x 8-inch Woofers + Coil Tweeter + RGB Lighting
Battery: 7.4V/4500mAh
Size/Weight: 365*350*765MM/10.5KG
40HQ Loading: 695

M-1266



USB/ TF Card/ Bluetooth/
Display Screen/ FM Radio/ TWS

Power: 160W
Speaker:12-inch*2
Battery: 11.1V 7200mAh
Size/Weight: 480*470*1185MM/22.75KG
40HQ Loading: 255

M-1028



USB/ TF Card/ Bluetooth/
Display Screen/FM Radio/TWS

Power: 120W
Config: Dual 10-inch Woofers + Flame Lighting Effects
Battery: 11.1V / 2400mAh
Size/Weight: 365*350*835MM/10KG
40HQ Loading: 647

M-2586



USB/ TF Card/ Bluetooth/ Display Screen/ FM Radio/ TWS

Power: 100W
Config: 2 x 6.5-inch Woofers + Voice Coil Tweeter + RGB LED + DSP
Battery: 7.4V / 4500mAh
Size/Weight: 285*290*510MM/7.5KG
40HQ Loading: 1064

M-6606



Power: 100W
Config: 2 x 6.5-inch Woofers + Voice Coil Tweeter + RGB LED
Battery: 7.4V / 4500mAh
Size/Weight: 285*290*510MM/5.7KG
40HQ Loading: 1600

M-1016



USB/ TF Card/ Bluetooth/
 Display Screen/ FM Radio/ TWS

Power: 150W
Speaker: Dual 10-inch
Battery: 11.1V 4500mAh
Size/Weight: 420*405*985MM/17.5KG
40HQ Loading: 340

M-0615



Bluetooth 5.2/ USB / TF Card / AUX /
 MIC Input / FM / Dynamic Lighting /
 7 Buttons / 2 Potentiometers / Display Screen

Power: 20W
Speaker: 6.5-inch
Battery: 2400mAh/3.7V
Size/Weight: 289*277*366MM/22KG
40HQ Loading: 2136

M-8308



BT/USB/TF/FM/AUX/TWS

Power: 45W
Speaker: 8 x 3-inch Speakers (60mm Magnet) + 3 x Woofers
Battery: 3.7V / 2400mAh
Size/Weight: 313*313*840MM/6KG
40HQ Loading: 850

M-8306



BT/USB/TF/FM/AUX/TWS

Power: 60W
Speaker: 8 x 3-inch Speakers (60mm Magnet) + 3 x Woofers
Battery: 3.7V / 2400mAh
Size/Weight: 313*310*836MM/6.1KG
40HQ Loading: 863

M-0833



Bluetooth 5.0 / USB / TF Card / FM Radio /
 Mic/ AUX / Dynamic RGB Lighting /
 8 Control Buttons / 2 Potentiometers

Power: 30W
Speaker: 8-inch
Battery: 3000mAh/3.7V
Size/Weight: 300*295*415MM/18KG
40HQ Loading: 1698

M-6621



Bluetooth 5.2/ USB / TF Card / FM Radio /
 Mic/ AUX / Dynamic RGB Lighting /
 8 Control Buttons / 2 Potentiometers

Power: 60W
Speaker: 6.5-inch*2
Battery: 3600mAh/3.7V
Size/Weight: 289*277*575MM/18KG
40HQ Loading: 1360

M-8822



Bluetooth 5.2 / USB / TF Card / FM Radio /
Mic / AUX / Dynamic RGB Lighting /
8 Control Buttons / 2 Potentiometers

Power: 90W

Speaker: 8-inch*2

Battery: 3600mAh/3.7V

Size/Weight: 289*277*575MM/19.5KG

40HQ Loading: 1080

M-FF01



Bluetooth 5.2/ USB / TF Card / FM Radio /
Dynamic RGB Lighting /
4 Control Buttons / AUX / MIC

Power: 20W

Speaker: 4-inch × 2

Battery: 1200mAh / 3.7V

Size/Weight: 169*169*403MM/21KG

40HQ Loading: 5420

M-4306



Bluetooth / USB / TF Card /
FM Radio / Dynamic RGB Lighting /
4 Control Buttons / AUX / MIC

Power: 30W

Speaker: 4-inch × 3

Battery: 1500mAh/3.7V

Size/Weight: 206*204*475MM/19.5KG

40HQ Loading: 2927

M-6619A



USB/TF card/Bluetooth/with display/FM/TWS

Power: 50W

Speaker: Double 6.5 - inch

Battery: 7.4V 4500mAh

Size/Weight: 300*335*702MM / 6.1KG

40HQ Loading: 964

M-FF02



Bluetooth 5.2/ USB / TF Card /
FM Radio / Dynamic RGB Lighting /
4 Control Buttons / AUX / MIC

Power: 20W

Speaker: 4-inch × 2

Battery: 1200mAh / 3.7V

Size/Weight: 169*169*403MM/21KG

40HQ Loading: 5420

M-4305



Bluetooth / USB / TF Card /
FM Radio / Dynamic RGB Lighting /
4 Control Buttons / AUX / MIC

Power: 30W

Speaker: 4-inch × 3

Battery: 1500mAh/3.7V

Size/Weight: 206*204*475MM/19.5KG

40HQ Loading: 2927

M-6619



USB/TF card/Bluetooth/with display/FM/TWS

Power: 50W

Speaker: Double 6.5 - inch

Battery: 7.4V 4500mAh

Size/Weight: 300*335*702MM / 6.1KG

40HQ Loading: 964

M-SS19



Bluetooth / USB / TF Card /
FM Radio / Dynamic RGB Lighting /
4 Control Buttons / Volume Knob / Mic

Power: 30W

Speaker: 6.5-inch × 2

Battery: 1500mAh/3.7V

Size/Weight: 206*204*475MM/19.5KG

40HQ Loading: 2927

M-606



USB/TF card/Bluetooth/
with display/FM/TWS

Power: 50W (with DSP)
Speaker: Single 6.5 - inch
Battery: 7.4V 4000mAh
Size/Weight: 310*288*394MM / 3.8KG
40HQ Loading: 1929

M-5106



USB / TF / Bluetooth 5.0

Power: 100W
Speaker: 5.25" + 2.5" + 1"
Battery: 7.4V / 7200mAh
Size/Weight: 390*335*245MM/5KG
40HQ Loading: 2425

M-B023



USB / TF Card /
Bluetooth / FM Radio /
AUX / Microphone Input

Power: 80W
Speaker: 2 x 4-inch + 1 x tweeter
Battery: 7.4V/3600mAh
Size/Weight: 390*250*310MM/4.2KG
40HQ Loading: 2200

M-1599



USB/SD card/Bluetooth (BT)/
Frequency Modulation (FM) /
True Wireless Stereo (TWS) /Audio Input (AUX)

Power: 120 W
Speaker: 15 - inch * 2 (110 magnets 35 cores)
Battery: 12V7A
Size/Weight: 470*445*1310MM / 28KG
40HQ Loading: 245

M-8828



Bluetooth / USB / TF Card /
FM Radio / Dynamic RGB Lighting /
8 Control Buttons / 2 Potentiometers

Power: 80W
Speaker: 8-inch Woofer x 2
Battery: 3600mAh / 7.4V
Size/Weight: 365*360*830MM
40HQ Loading: 618

M-6620



Bluetooth / USB / TF Card /
FM Radio / Dynamic RGB Lighting /
4 Control Buttons / Volume Knob / Mic

Power: 30W
Speaker: 6.5-inch x 2
Battery: 1500mAh/3.7V
Size/Weight: 206*204*475MM/19.5KG
40HQ Loading: 2927

M-6624



Bluetooth / USB / TF Card /
FM Radio / Dynamic RGB Lighting /
9 Control Buttons / 3 Potentiometers

Power: 80W
Speaker: 6.5-inch x 2
Battery: 3600mAh / 7.4V
Size: 297*293*657MM
40HQ Loading: 1150

M-21008



Bluetooth / USB / TF Card / FM Radio / Microphone /
AUX / Display Screen / Multi-color LED Lights /
9 Control Buttons / TWS / 3 Potentiometers

Power:160W
Speaker: 10-inch x 2
Battery: 7000mAh/11.1V
Size: 370*375*900MM
40HQ Loading: 552

M-21213



Bluetooth / USB / TF Card / FM Radio / Microphone /
Display Screen / Dynamic RGB Lighting / AUX /
9 Control Buttons / TWS / 3 Potentiometers

Power: 200W
Speaker: 12-inch x 2
Battery: 6000Ah/11.1V
Size: 420*420*1000MM
40HQ Loading: 385

M-1515



USB/SD card/Bluetooth (BT)/
Frequency Modulation (FM) /
True Wireless Stereo (TWS) /
Audio Input (AUX)

Power: 120 W
Speaker: 15 - inch * 2 (110 magnets 35 cores)
Battery: 12V9A
Size/Weight: 450*400*1500MM / 31KG
40HQ Loading: 185

M-06PRO



USB / TF Card / Bluetooth / AUX /
Microphone Input/Guitar Input

Power: 80W
Speaker: 6.5 inch x2 + 1 Tweeter
Battery: 7.4V/4400mah
Size/Weight: 355*355*688MM/9.55KG
40HQ Loading: 540

M-08PRO



USB / TF Card / Bluetooth / AUX /
Microphone Input/Guitar Input

Power:80W
Speaker: 8 inch x2 + 1 Tweeter
Battery: 7.4V/6600mah
Size/Weight: 390*410*815MM/12.25KG
40HQ Loading: 420

M-10PRO



USB / TF Card / Bluetooth / AUX /
Microphone Input/Guitar Input

Power: 160W
Speaker: 10 inch x2 + 1 Tweeter
Battery: 9A
Size/Weight: 425*440*910MM/17.98KG
40HQ Loading: 200

M-601



USB / TF Card / Bluetooth /
AUX / Microphone Input

Power: 80W
Speaker: 6.5 inch x2 Woofer
Frequency: 7.4V/3600mah
Size: 355*355*688MM
40HQ Loading: 540

M-801



USB / TF Card / Bluetooth / AUX /
Microphone Input/Guitar Input

Power: 80W
Speaker: 8 inch x2 Woofer & Tweeter
Frequency: 7.4V/6600mah
Size:390*410*815MM
40HQ Loading: 420

M-0810



USB / TF Card / Bluetooth /
AUX / Microphone Input

Power: 160W
Speaker: 10 inch x2 Woofer
Frequency: 12V/7A
Size/Weight: 405*390*925MM/16.6KG
40HQ Loading: 270

M-1503



USB / TF Card / Bluetooth /
AUX / Microphone Input/Guitar Input

Power: 400W
Speaker: 15-inch Woofer + 4 *Tweeters
Frequency: 12V/20A
Woofer: 525 x 520 x 760 MM/29.26KG
Tweeter:750x195x185MM/4.87KG
40HQ Loading: 270

M-111



USB / TF Card / Bluetooth / AUX /
Microphone Input

Power: 160W
Speaker: 10-inch Woofer *2
Power Supply: 12V/9A
Size/Weight: 365*370*800MM/12.65KG
40HQ Loading: 430

M-308



USB/SD/FM Radio/Bluetooth/
Remote Control

Power: 80W
Speaker: 6.5-inch Woofer+3-inch Tweeter*3
Power Supply: AC220V-50Hz-60Hz/DC/12V
Size/Weight: 393*385*340MM/11.34KG
40HQ Loading: 1260

M-309



USB/SD/FM Radio/Bluetooth/Remote Control

Power: 75W
Speaker: 6.5-inch Woofer+3-inch Tweeter*3
Power Supply: AC220V-50Hz-60Hz/DC/12V
Size/Weight: 393*385*340MM/11.48KG
40HQ Loading: 1260

Microphone



M-5

Fixed frequency U band
Accessible reception range of 30 to 50 meters.
Frequency range 600~700MHz
18650 rechargeable receiver
18650 rechargeable microphone
Metal tube body



QM-883

Fixed frequency U band
Accessible reception range of 30 to 50 meters.
Frequency range 600~700MHz
18650 rechargeable receiver
18650 rechargeable microphone
Metal tube body



QM-77

Fixed frequency U band
Accessible reception range of 30 to 50 meters.
Frequency range 600~700MHz
18650 rechargeable receiver
18650 rechargeable microphone
Metal tube body



BT-25

Fixed frequency U band
Accessible reception range of 100 meters.
Frequency range 600~700MHz
18650 rechargeable receiver
18650 rechargeable microphone
Metal tube body



K9S

Fixed frequency U band
Accessible reception range of 30 to 50 meters.
Frequency range 600~700MHz
18650 rechargeable receiver
18650 rechargeable microphone
Metal tube body




KT100

Fixed frequency U band
Accessible reception range of 30 to 50 meters.
Frequency range 600~700MHz
18650 rechargeable receiver
18650 rechargeable microphone
Metal tube body



QM-1

U-band FM scheme, 50~100 groups (optional)
Accessible reception range of 30 to 50 meters.
Frequency range 600~700MHz
18650 rechargeable receiver
18650 rechargeable microphone
Metal tube body



QM-10

U-band FM scheme, 50~100 groups (optional)
Accessible reception range of 30 to 50 meters.
Frequency range 600~700MHz
18650 rechargeable receiver
18650 rechargeable microphone
Metal tube body



BT32

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body




QM-8

U-band FM scheme, 50~100 groups (optional)
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



K13

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



QM-36

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



K9

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



QM-6

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



U-70

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



QM-21

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



QM-58

U-band FM scheme, 50~100 groups (optional)
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



K8

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



QM-32

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



QM-9

U-band FM scheme, 50~100 groups (optional)
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



QM-42

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



K5

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



QM-223

Fixed frequency U band
 Accessible reception range of 30 to 50 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



QM-22

Fixed frequency U band
 Accessible reception range of 100 meters.
 Frequency range 600~700MHz
 18650 rechargeable receiver
 18650 rechargeable microphone
 Metal tube body



U-10

Material: Fully metal construction
Tone head shape: dynamic coil type
Frequency response: 50Hz-15KHz
Sensitivity: -50+3dB
Output impedance: 600Ω ± 30%
Canon line length: 3m/5m/8m (optional)
Weight: Approximately 300g to 500g



U-20

Material: Fully metal construction
Tone head shape: dynamic coil type
Frequency response: 50Hz-15KHz
Sensitivity: -52+3dB
Output impedance: 600Ω ± 30%
Canon line length: 3m/5m/8m (optional)
Weight: Approximately 300g to 500g



U-188

Material: Fully metal construction
Tone head shape: dynamic coil type
Frequency response: 50Hz-15KHz
Sensitivity: -53+3dB
Output impedance: 600Ω ± 30%
Canon line length: 3m/5m/8m (optional)
Weight: Approximately 300g to 500g



U-70

Material: Fully metal construction
Tone head shape: dynamic coil type
Frequency response: 50Hz-15KHz
Sensitivity: -52+3dB
Output impedance: 600Ω ± 30%
Canon line length: 3m/5m/8m (optional)
Weight: Approximately 300g to 500g



U-581

Material: Fully metal construction
Tone head shape: dynamic coil type
Frequency response: 50Hz-15KHz
Sensitivity: -52+3dB
Output impedance: 600Ω ± 30%
Canon line length: 3m/5m/8m (optional)
Weight: Approximately 300g to 500g



U-36

Material: Fully metal construction
Tone head shape: dynamic coil type
Frequency response: 50Hz-15KHz
Sensitivity: -53+3dB
Output impedance: 600Ω ± 30%
Canon line length: 3m/5m/8m (optional)
Weight: Approximately 300g to 500g



U-66

Material: Fully metal construction
Tone head shape: dynamic coil type
Frequency response: 50Hz-15KHz
Sensitivity: -52+3dB
Output impedance: 600Ω ± 30%
Canon line length: 3m/5m/8m (optional)
Weight: Approximately 300g to 500g



U-88

Material: Fully metal construction
Tone head shape: dynamic coil type
Frequency response: 50Hz-15KHz
Sensitivity: -52+3dB
Output impedance: 600Ω ± 30%
Canon line length: 3m/5m/8m (optional)
Weight: Approximately 300g to 500g



U-03

Material: Entirely plastic
Tone head shape: dynamic coil type
Frequency response: 50Hz-15KHz
Sensitivity: -52+3dB
Output impedance: 600Ω ± 30%
Canon line length: 3m/5m/8m (optional)
Weight: Approximately 150g


Join Us

Let's open a new chapter in the world and share the benefits of globalization!

Whether you are a seasoned distributor with years of experience in the local market, a professional in industry management, technology, or sales, or an entrepreneur looking to break into new fields, Guangzhou Mianhong is committed to providing you with a platform for mutually beneficial cooperation. Let's join forces and bring high-quality products to the world!

If you meet the above criteria and are interested in partnering with us, please contact us immediately!

Email: hanke@opeetv.com



CEO WeChat



WhatsApp

Official Website: www.mianhong.com

Phone: +86 13926285591

We will keep your inquiry strictly confidential.

We believe that with your support, this vision will become a reality around the world. We look forward to working with you to build a bright future together. Guangzhou Mianhong—we look forward to meeting you.